



Fastener
Solutions

System 1000® Fasteners Marketing Specifications

For the following part numbers:

08284-0 (10315-0, 10316-0, 10317-0, 10318-0)

08285-0

10332-0

10334-0

10415-0

10418-0

10698-0

10699-0

11005-0

11260-0

11261-0

11262-0

11263-0

11270-0

11271-0


11272-0

11273-0

August 1, 2018

AVERY DENNISON MARKETING SPECIFICATION

TOLERANCES IN. =± .030 IN.
MM =± 0.7 mm



NOMINAL TENSILE STRENGTH:	4.5 - 5.5 LBSF / 2.0 - 2.5 KGF
MATERIAL:	POLYPROPYLENE
WEIGHT:	0.0346 GRAMS/EACH
ROLL QUANTITY:	1000 FASTENERS
APPLICATION TOOL:	SYSTEM 1000™ HAND TOOL # 10000-4 IND'L. SYSTEM 1000 UNITS - SPU5A, SPU5M, SPU5P (CONTACT SALES SPECIALIST FOR OTHER OPTIONS)
PACKAGED:	5000/CTN, 50,000/CASE
T/F CONN PADDLES:	YES



FASTENER DIVISION
FITCHBURG, MA 01420 U.S.A.
TEL. 1-800-225-5913
FAX. 1-800-848-2169

PART #	COLOR
08284-0	NATURAL
10315-0	RED
10316-0	BLUE
10317-0	GREEN
10318-0	YELLOW

DESCRIPTION:

1" (25mm) SYSTEM 1000™
PADDLE

APPROVAL:

Linda Boyle 2/2/2017


STOCK NO.

SEE TABLE

REV
M

AVERY DENNISON MARKETING SPECIFICATION

TOLERANCES IN. =± .030 IN.
MM =± 0.7 mm



NOT TO SCALE

NOMINAL TENSILE STRENGTH:	4.5 - 5.5 LBSF / 2.0 - 2.5 KGF
MATERIAL:	POLYPROPYLENE - NATURAL
WEIGHT:	0.0346 GRAMS/EACH
ROLL QUANTITY:	1000 FASTENERS
APPLICATION TOOL:	SYSTEM 1000™ HAND TOOL # 10000-4 IND'L. SYSTEM 1000 UNITS - SPU5A, SPU5M, SPU5P (CONTACT SALES SPECIALIST FOR OTHER OPTIONS)
PACKAGED:	5000/CTN, 50,000/CASE
T/F CONN PADDLES:	YES



FASTENER DIVISION
FITCHBURG, MA 01420 U.S.A.
TEL. 1-800-225-5913
FAX. 1-800-848-2169

DESCRIPTION:

2-1/3" (59mm) SYSTEM 1000™
PADDLE

APPROVAL:

[Signature] 4-11-10

STOCK NO.


08285

REV

G

AVERY DENNISON MARKETING SPECIFICATION

TOLERANCES IN. =± .030 IN.
MM =± 0.7 mm



NOMINAL TENSILE STRENGTH:	4.5 - 5.5 LBSF / 2.0 - 2.5 KGF
MATERIAL:	POLYPROPYLENE - NATURAL
WEIGHT:	.0346 GRAMS/EACH
ROLL QUANTITY:	1000 FASTENERS
APPLICATION TOOL:	SYSTEM 1000™ HAND TOOL # 10000-2 INDUSTRIAL SYSTEM 1000 UNITS - SPU5A (CONTACT SALES SPECIALIST FOR OTHER OPTIONS)
PACKAGED:	5000/CTN, 50,000/CASE
T/F CONN PADDLES:	YES



FASTENER DIVISION
FITCHBURG, MA 01420 U.S.A.
TEL. 1-800-225-5913
FAX. 1-800-848-2169

DESCRIPTION:

1/2" (13mm) SYSTEM 1000™
PADDLE

APPROVAL:

1-14-09


STOCK NO.

10332

REV
B

AVERY DENNISON MARKETING SPECIFICATION

TOLERANCES IN. =± .030 IN.
MM =± 0.7 mm



NOMINAL TENSILE STRENGTH:	4.5 - 5.5 LBSF / 2.0 - 2.5 KGF
MATERIAL:	POLYPROPYLENE - NATURAL
WEIGHT:	.0346 GRAMS/EACH
ROLL QUANTITY:	1000 FASTENERS
APPLICATION TOOL:	SYSTEM 1000™ HAND TOOL # 10000-2 INDUSTRIAL SYSTEM 1000 UNITS - SPU5A (CONTACT SALES SPECIALIST FOR OTHER OPTIONS)
PACKAGED:	5000/CTN, 50,000/CASE
T/F CONN PADDLES:	YES



FASTENER DIVISION
FITCHBURG, MA 01420 U.S.A.
TEL. 1-800-225-5913
FAX. 1-800-848-2169

DESCRIPTION:

1-3/4" (44mm) SYSTEM 1000™
HEAVY DUTY PADDLE

APPROVAL:


Edy 1-14-09

STOCK NO. 10334

REV
B

AVERY DENNISON MARKETING SPECIFICATION

TOLERANCES IN. =± .030 IN.
MM =± 0.7 mm



NOMINAL TENSILE STRENGTH:	7.9 LBSF / 3.2 - 4.1 KGF
MATERIAL:	NYLON 6 - NATURAL
WEIGHT:	.049 GRAMS/EACH
ROLL QUANTITY:	1000 FASTENERS
APPLICATION TOOL:	SYSTEM 1000™ HAND TOOL # 10000-2 INDUSTRIAL SYSTEM 1000 UNITS - SPU5A (CONTACT SALES SPECIALIST FOR OTHER OPTIONS)
PACKAGED:	5000/CTN, 50,000/CASE
T/F CONN PADDLES:	YES



FASTENER DIVISION
FITCHBURG, MA 01420 U.S.A.
TEL. 1-800-225-5913
FAX. 1-800-848-2169

DESCRIPTION:

2" (51mm) SYSTEM 1000™
HEAVY DUTY PADDLE

APPROVAL:

Ed [Signature] 1-14-99

STOCK NO.


10415

REV

H

AVERY DENNISON MARKETING SPECIFICATION

TOLERANCES IN. =± .030 IN.
MM =± 0.7 mm



NOT TO SCALE

NOMINAL TENSILE STRENGTH:	7.9 LBSF / 3.2 - 4.1 KGF
MATERIAL:	NYLON 6 - NATURAL
WEIGHT:	.049 GRAMS/EACH
ROLL QUANTITY:	1000 FASTENERS
APPLICATION TOOL:	SYSTEM 1000™ HAND TOOL # 10000-2 INDUSTRIAL SYSTEM 1000 UNITS - SPU5A (CONTACT SALES SPECIALIST FOR OTHER OPTIONS)
PACKAGED:	5000/CTN, 50,000/CASE
T/F CONN PADDLES:	YES



FASTENER DIVISION
FITCHBURG, MA 01420 U.S.A.
TEL. 1-800-225-5913
FAX. 1-800-848-2169

DESCRIPTION:

1-1/4" (32mm) SYSTEM 1000™
HEAVY DUTY PADDLE

APPROVAL:

Ed. [Signature] 1-14-99

STOCK NO.


10418

REV

C

AVERY DENNISON MARKETING SPECIFICATION

TOLERANCES IN. =± .030 IN.
MM =± 0.7 mm



MINIMUM TENSILE STRENGTH:	7 LBSF / 3.2 KGF
MATERIAL:	NYLON 6 - NATURAL
WEIGHT:	.049 GRAMS/EACH
ROLL QUANTITY:	1000 FASTENERS
APPLICATION TOOL:	SYSTEM 1000™ HAND TOOL # 10000 INDUSTRIAL SYSTEM 1000 UNITS - SPU5A (CONTACT SALES SPECIALIST FOR OTHER OPTIONS)
PACKAGED:	5000/CTN, 50,000/CASE
T/F CONN PADDLES:	YES



FASTENER DIVISION
FITCHBURG, MA 01420 U.S.A.
TEL. 1-800-225-5913
FAX. 1-800-848-2169

DESCRIPTION:

1" (25mm) SYSTEM 1000™
HEAVY DUTY PADDLE

APPROVAL:

[Signature] 05/09/2018

STOCK NO.


10698-0

REV

B

AVERY DENNISON MARKETING SPECIFICATION

TOLERANCES IN. = ± .030 IN.
MM = ± 0.7 mm



NOMINAL TENSILE STRENGTH:	7 - 9 LBSF / 3.2 - 4.1 KGF
MATERIAL:	NYLON 6 - NATURAL
WEIGHT:	.049 GRAMS/EACH
ROLL QUANTITY:	1000 FASTENERS
APPLICATION TOOL:	SYSTEM 1000™ HAND TOOL # 10000-2 INDUSTRIAL SYSTEM 1000 UNITS - SPU5A (CONTACT SALES SPECIALIST FOR OTHER OPTIONS)
PACKAGED:	5000/CTN, 50,000/CASE
T/F CONN PADDLES:	YES



FASTENER DIVISION
FITCHBURG, MA 01420 U.S.A.
TEL. 1-800-225-5913
FAX. 1-800-648-2169

DESCRIPTION:

1/2" (13mm) SYSTEM 1000™
HEAVY DUTY PADDLE

APPROVAL:

Ed 42 1-14-09

STOCK NO.


10699

REV

B

AVERY DENNISON MARKETING SPECIFICATION

TOLERANCES IN. =± .030 IN.
MM =± 0.7 mm



NOMINAL TENSILE STRENGTH:	7-9 LBSF / 3.2-4.1 KGF
MATERIAL:	NYLON 6 - NATURAL
WEIGHT:	.049 GRAMS/EACH
ROLL QUANTITY:	1000 FASTENERS
APPLICATION TOOL:	SYSTEM 1000™ HAND TOOL # 10000-2 INDUSTRIAL SYSTEM 1000 UNITS - SPU5A (CONTACT SALES SPECIALIST FOR OTHER OPTIONS)
PACKAGED:	5000/CTN, 50,000/CASE
T/F CONN PADDLES:	YES



FASTENER DIVISION
FITCHBURG, MA 01420 U.S.A.
TEL. 1-800-225-5913
FAX. 1-800-848-2169

DESCRIPTION:

2" (50mm) FILAMENT, SYSTEM 1000™
PADDLE

APPROVAL:

[Signature] 1-14-09

STOCK NO.

11005

REV


C

AVERY DENNISON MARKETING SPECIFICATION

THE SUBJECT MATTER DISCLOSED HEREIN EMBODIES PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF THE AVERY DENNISON CO. NONE OF WHICH SHALL BE COPIED, REPRODUCED, DISCLOSED TO OTHERS, PUBLISHED OR USED IN WHOLE OR IN PART, FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS BEING MADE AVAILABLE WITHOUT THE EXPRESS ADVANCE WRITTEN PERMISSION OF A DULY AUTHORIZED AGENT OF THE COMPANY. THIS DOCUMENT IS THE PROPERTY OF THE AVERY DENNISON CO. AND IS TO BE RETURNED TO THE COMPANY ON DEMAND.

HISTORY

REV.	DATE	DESCRIPTION
A	3/18/16	PRODUCTION RELEASE



NOT TO SCALE


TENSILE STRENGTH:	7 lbf MINIMUM	APPROVALS:	ENG. APPR.	 AVERY DENNISON FASTENER DIVISION FITCHBURG, MA 01420 U.S.A. TEL: 1-800-225-5913 FAX: 978-353-8157		
WEIGHT:	.05 GRAMS/EACH		Q.A. APPR.			
PACKAGED:	5000/CTN, 50,000/CASE					
APPLICATION TOOL:	10000-2 - HAND TOOL SPU5A - PNEUMATIC TOOL SPU15M - PNEUMATIC TOOL (CONTACT SALES SPECIALIST FOR ADDITIONAL OPTIONS)	SPECIFIED TOLERANCES ARE:		MATERIAL	DESCRIPTION	
ROLL QUANTITY	1000 FASTENERS	.XX ± .03 INCHES .X ± .7 mm .XXX ± .010 INCHES .XX ± .25 mm ANGULAR: ± 2°		COLOR	STOCK NO.	REV.
				NYLON 6	SWIFTACH, 64 HD S1000	
				NATURAL	11260-0	A

AVERY DENNISON MARKETING SPECIFICATION

HISTORY

REV.	DATE	DESCRIPTION
A	3/18/16	PRODUCTION RELEASE

THE SUBJECT MATTER DISCLOSED HEREIN EMBODIES PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF THE AVERY DENNISON CO. NONE OF WHICH SHALL BE COPIED, REPRODUCED, DISCLOSED TO OTHERS, PUBLISHED OR USED IN WHOLE OR IN PART, FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS BEING MADE AVAILABLE WITHOUT THE EXPRESS ADVANCE WRITTEN PERMISSION OF A DULY AUTHORIZED AGENT OF THE COMPANY. THIS DOCUMENT IS THE PROPERTY OF THE AVERY DENNISON CO. AND IS TO BE RETURNED TO THE COMPANY ON DEMAND.




TENSILE STRENGTH:	7 lbf MINIMUM	APPROVALS:	ENG. APPR. <i>[Signature]</i> 3/18/16	AVERY DENNISON FASTENER DIVISION FRITCHBURG, MA 01420 U.S.A. TEL. 1-800-225-5913 FAX. 978-353-8157	DESCRIPTION SWIFTACH, 70 HD S1000	
WEIGHT:	.05 GRAMS/EACH		Q.A. APPR. <i>[Signature]</i> 05/17/2016			
ROLL QUANTITY:	1000 FASTENERS	SPECIFIED TOLERANCES ARE:		MATERIAL NYLON 6	STOCK NO. 11261-0	
APPLICATION TOOL:	10000-2 - HAND TOOL SPU5A - PNEUMATIC TOOL SPU15M - PNEUMATIC TOOL (CONTACT SALES SPECIALIST FOR ADDITIONAL OPTIONS)					
PACKAGED:	5000/CTN. 50,000/CASE	.XX ± .03 INCHES .X ± .7 mm .XXX ± .010 INCHES .XX ± .25 mm ANGULAR: ± 2°		COLOR NATURAL	REV. A	
5	4	3	2	1		

AVERY DENNISON MARKETING SPECIFICATION

THE SUBJECT MATTER DISCLOSED HEREIN EMBODIES PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF THE AVERY DENNISON CO. NONE OF WHICH SHALL BE COPIED, REPRODUCED, DISCLOSED TO OTHERS, PUBLISHED OR USED IN WHOLE OR IN PART, FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS BEING MADE AVAILABLE WITHOUT THE EXPRESS ADVANCE WRITTEN PERMISSION OF A DULY AUTHORIZED AGENT OF THE COMPANY. THIS DOCUMENT IS THE PROPERTY OF THE AVERY DENNISON CO. AND IS TO BE RETURNED TO THE COMPANY ON DEMAND.

HISTORY

REV.	DATE	DESCRIPTION
A	3/18/16	PRODUCTION RELEASE




TENSILE STRENGTH:	7 lbf MINIMUM	APPROVALS:	ENG. APPR. <i>[Signature]</i> 3/18/16		FASTENER DIVISION FITCHBURG, MA 01420 U.S.A. TEL. 1-800-225-5913 FAX. 978-353-8157
WEIGHT:	.05 GRAMS/EACH		Q.A. APPR. <i>[Signature]</i> 05/12/2016		
ROLL QUANTITY:	1000 FASTENERS	SPECIFIED TOLERANCES ARE:	MATERIAL NYLON 6	DESCRIPTION SWIFTACH, 76 HD S1000	STOCK NO. 11262-0
APPLICATION TOOL:	10000-2 - HAND TOOL SPU5A - PNEUMATIC TOOL SPU15M - PNEUMATIC TOOL (CONTACT SALES SPECIALIST FOR ADDITIONAL OPTIONS)				
PACKAGED:	5000/CTN, 50,000/CASE	.XX ± .03 INCHES .X ± .7 mm .XXX ± .010 INCHES .XX ± .25 mm ANGULAR: ± 2°	COLOR NATURAL	REV. A	

AVERY DENNISON MARKETING SPECIFICATION

THE SUBJECT MATTER DISCLOSED HEREIN EMBODIES PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF THE AVERY DENNISON CO. NONE OF WHICH SHALL BE COPIED, REPRODUCED, DISCLOSED TO OTHERS, PUBLISHED OR USED IN WHOLE OR IN PART, FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS BEING MADE AVAILABLE WITHOUT THE EXPRESS ADVANCE WRITTEN PERMISSION OF A DULY AUTHORIZED AGENT OF THE COMPANY. THIS DOCUMENT IS THE PROPERTY OF THE AVERY DENNISON CO. AND IS TO BE RETURNED TO THE COMPANY ON DEMAND.

HISTORY

REV.	DATE	DESCRIPTION
A	3/18/16	PRODUCTION RELEASE




TENSILE STRENGTH:	7 lbf MINIMUM	APPROVALS:	ENG. APPR.	 AVERY DENNISON FASTENER DIVISION FITCHBURG, MA 01420 U.S.A. TEL: 1-800-225-5913 FAX: 978-353-8157		
WEIGHT:	.05 GRAMS/EACH		Q.A. APPR.			
ROLL QUANTITY:	1000 FASTENERS					
APPLICATION TOOL:	10000-2 - HAND TOOL SPU5A - PNEUMATIC TOOL SPU15M - PNEUMATIC TOOL (CONTACT SALES SPECIALIST FOR ADDITIONAL OPTIONS)	SPECIFIED TOLERANCES ARE:		MATERIAL	DESCRIPTION	
PACKAGED:	5000/CTN, 50,000/CASE	.XX ± .03 INCHES .X ± .7 mm		COLOR	SWIFTACH, 83 HD S1000	
		.XXX ± .010 INCHES .XX ± .25 mm				
		ANGULAR: ± 2°		NATURAL	STOCK NO.	REV.
					11263-0	A

AVERY DENNISON MARKETING SPECIFICATION

THE SUBJECT MATTER DISCLOSED HEREIN EMBODIES PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF THE AVERY DENNISON CO. NONE OF WHICH SHALL BE COPIED, REPRODUCED, DISCLOSED TO OTHERS, PUBLISHED OR USED IN WHOLE OR IN PART, FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS BEING MADE AVAILABLE WITHOUT THE EXPRESS ADVANCE WRITTEN PERMISSION OF A DULY AUTHORIZED AGENT OF THE COMPANY. THIS DOCUMENT IS THE PROPERTY OF THE AVERY DENNISON CO. AND IS TO BE RETURNED TO THE COMPANY ON DEMAND.

HISTORY

REV.	DATE	DESCRIPTION
A	3/18/16	PRODUCTION RELEASE



NOT TO SCALE


TENSILE STRENGTH:	7 lbf MINIMUM	APPROVALS:	ENG. APPR. <i>[Signature]</i> 3/18/16		FASTENER DIVISION FITCHBURG, MA 01420 U.S.A. TEL: 1-800-225-5913 FAX: 978-353-8157		
WEIGHT:	.05 GRAMS/EACH		Q.A. APPR. <i>[Signature]</i> 05/17/2016				
ROLL QUANTITY:	1000 FASTENERS	SPECIFIED TOLERANCES ARE:		MATERIAL NYLON 6	DESCRIPTION SWIFTACH, 17 HD S1000		
APPLICATION TOOL:	10000-2 - HAND TOOL SPU5A - PNEUMATIC TOOL SPU15M - PNEUMATIC TOOL (CONTACT SALES SPECIALIST FOR ADDITIONAL OPTIONS)						
PACKAGED:	5000/CTN, 50,000/CASE	.XX ± .03 INCHES .X ± .7 mm .XXX ± .010 INCHES .XX ± .25 mm ANGULAR: ± 2°		COLOR NATURAL	STOCK NO. 11270-0	REV. A	
		5	4	3	2	1	

AVERY DENNISON MARKETING SPECIFICATION

THE SUBJECT MATTER DISCLOSED HEREIN EMBODIES PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF THE AVERY DENNISON CO. NONE OF WHICH SHALL BE COPIED, REPRODUCED, DISCLOSED TO OTHERS, PUBLISHED OR USED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS BEING MADE AVAILABLE WITHOUT THE EXPRESS ADVANCE WRITTEN PERMISSION OF A DULY AUTHORIZED AGENT OF THE COMPANY. THIS DOCUMENT IS THE PROPERTY OF THE AVERY DENNISON CO. AND IS TO BE RETURNED TO THE COMPANY ON DEMAND.

HISTORY

REV.	DATE	DESCRIPTION
A	3/18/16	PRODUCTION RELEASE



TENSILE STRENGTH:	7 lbf MINIMUM	APPROVALS:	ENG. APPR. <i>[Signature]</i> 3/18/16		FASTENER DIVISION FITCHBURG, MA 01420 U.S.A. TEL. 1-800-225-5913 FAX. 978-353-8157		
WEIGHT:	.05 GRAMS/EACH		Q.A. APPR. <i>[Signature]</i> 05/17/2016				
ROLL QUANTITY:	1000 FASTENERS	SPECIFIED TOLERANCES ARE:	MATERIAL NYLON 6	DESCRIPTION SWIFTACH, 25 HD S1000			
APPLICATION TOOL:	10000-2 - HAND TOOL SPU5A - PNEUMATIC TOOL SPU15M - PNEUMATIC TOOL (CONTACT SALES SPECIALIST FOR ADDITIONAL OPTIONS)						COLOR NATURAL
PACKAGED:	5000/CTN, 50,000/CASE						
		ANGULAR: ± 2°		STOCK NO. 11271-0		REV. A	

5

4

3

2


1

AVERY DENNISON MARKETING SPECIFICATION

THE SUBJECT MATTER DISCLOSED HEREIN EMBODIES PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF THE AVERY DENNISON CO. NONE OF WHICH SHALL BE COPIED, REPRODUCED, DISCLOSED TO OTHERS, PUBLISHED OR USED IN WHOLE OR IN PART, FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS BEING MADE AVAILABLE WITHOUT THE EXPRESS ADVANCE WRITTEN PERMISSION OF A DULY AUTHORIZED AGENT OF THE COMPANY. THIS DOCUMENT IS THE PROPERTY OF THE AVERY DENNISON CO. AND IS TO BE RETURNED TO THE COMPANY ON DEMAND.

HISTORY

REV.	DATE	DESCRIPTION
A	3/18/16	PRODUCTION RELEASE



NOT TO SCALE

TENSILE STRENGTH:	7 lbf MINIMUM	APPROVALS:	ENG. APPR.	 AVERY DENNISON FASTENER DIVISION FITCHBURG, MA 01420 U.S.A. TEL: 1-800-225-5913 FAX: 978-353-8157	DESCRIPTION SWIFTACH, 38 HD S1000	
WEIGHT:	.05 GRAMS/EACH		Q.A. APPR.			
ROLL QUANTITY:	1000 FASTENERS	SPECIFIED TOLERANCES ARE: .XX ± .03 INCHES .X ± .7 mm .XXX ± .010 INCHES .XX ± .25 mm ANGULAR: ± 2°	MATERIAL NYLON 6		STOCK NO. 11272-0	REV. A
APPLICATION TOOL:	10000-2 - HAND TOOL SPU5A - PNEUMATIC TOOL SPU15M - PNEUMATIC TOOL (CONTACT SALES SPECIALIST FOR ADDITIONAL OPTIONS)		COLOR NATURAL			
PACKAGED:	5000/CTN, 50,000/CASE					

5

4

3

2


1

AVERY DENNISON MARKETING SPECIFICATION

THE SUBJECT MATTER DISCLOSED HEREIN EMBODIES PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF THE AVERY DENNISON CO. NONE OF WHICH SHALL BE COPIED, REPRODUCED, DISCLOSED TO OTHERS, PUBLISHED OR USED IN WHOLE OR IN PART, FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS BEING MADE AVAILABLE WITHOUT THE EXPRESS ADVANCE WRITTEN PERMISSION OF A DULY AUTHORIZED AGENT OF THE COMPANY. THIS DOCUMENT IS THE PROPERTY OF THE AVERY DENNISON CO. AND IS TO BE RETURNED TO THE COMPANY ON DEMAND.

HISTORY

REV.	DATE	DESCRIPTION
A	3/18/16	PRODUCTION RELEASE



TENSILE STRENGTH:	7 lbf MINIMUM	APPROVALS:	ENG. APPR. <i>[Signature]</i> 05/18/16	AVERY DENNISON FASTENER DIVISION FITCHBURG, MA 01420 U.S.A. TEL. 1-800-225-5913 FAX. 978-353-8157	DESCRIPTION SWIFTACH, 50 HD S1000
WEIGHT:	.05 GRAMS/EACH		Q.A. APPR. <i>[Signature]</i> 05/17/2016		
ROLL QUANTITY:	1000 FASTENERS	SPECIFIED TOLERANCES ARE:	MATERIAL NYLON 6	COLOR NATURAL	STOCK NO. 11273-0
APPLICATION TOOL:	10000-2 - HAND TOOL SPU5A - PNEUMATIC TOOL SPU15M - PNEUMATIC TOOL (CONTACT SALES SPECIALIST FOR ADDITIONAL OPTIONS)				
PACKAGED:	5000/CTN, 50,000/CASE	.XX ± .03 INCHES .X ± .7 mm .XXX ± .010 INCHES .XX ± .25 mm ANGULAR: ± 2°			REV. A